

Techniques

- Biotechnology: use of microbes to make a protein product
- Recombinant DNA Technology:
 - Insertion or modification of genes to produce desired proteins
- Genetic engineering: manipulation of genes/insert DNA into cells
- Gene Cloning: isolating genes from one organism, manipulating purified DNA in vitro, and transferring to another organism


Why is genetic engineering important?

- Purify protein
 - Insulin
 - Growth factor
 - Interferon
- Generate more copies of a particular gene: “amplify DNA”
- Research gene function and regulation


Selection

- Artificial Selection: select breeds or strains with desirable traits (eg. Antibiotic producers)
- Mutation: Mutagens cause mutations that might result in a microbe with a desirable trait
- Site-directed mutagenesis: make specific changes in gene (mutate gene so that an organism can produce more penicillin;
- 1000x more)
- Select and culture microbe with the desired mutation

The process of genetic engineering



The outcomes of genetic engineering



Vectors are types of DNA


- Must be able to self replicate (WHY?)
- Must contain a promoter region
- Must a reasonable size and circular
- Often contain marker genes (antibiotic resistance genes) for easy identification of cells containing the vector

Types of Vectors

- Viral DNA
 - can carry larger pieces of foreign DNA
- Plasmids
 - pUC19 contains genes for easy selection (lacZ and amp)

Plasmids make good vectors

- pUC19 contains genes for easy selection
- Contains a polylinker region for restriction enzymes
- What happens when the plasmid is cut with EcoR1?




DNA can be inserted into cell by:

- Transformation
 - Naturally competent cells
 - Treat cells (E.coli, yeast, mammal cells) to make competent
 - Soak E.coli in CaCl, mix with DNA, mild heat shock


DNA can be inserted into cell by:

- Transformation
- Electroporation
 - Cells with cell wall need to be converted to protoplasts




Sources of the DNA that is inserted into the vector?

- Gene library
 - collection of clones that contain every gene of an organism
 - pieces of an entire genome stored in plasmids or phages
- Synthesize DNA with a DNA machine



DNA from eukaryotic cells

- cDNA
(complementary DNA)
- Problem that genes contain exons and introns
- Use reverse transcriptase to synthesize cDNA from mRNA template




What do we have so far?

- Vectors
- Ways to get DNA into cells
- DNA of “gene of interest”
- Now we need to look at the selection

process....how do we find the cells that have taken up the foreign DNA?

A look back at pUC19

- pUC19 has antibiotic resistance gene for ampicillin
- Also has the LacZ gene which codes for Beta-galactosidase
- What happens when cells take up this DNA?



Blue-White Screening






Figure 9.11.1

Blue-White Screening

3 The recombinant plasmid is introduced into a bacterium, which becomes ampicillin-resistant.




4 All treated bacteria are spread on a nutrient agar plate containing ampicillin and β -galactosidase substrate, and incubated.



5 White colonies that appear must contain foreign DNA. Blue colonies must not contain foreign DNA.

Figure 9.11.2

Colony hybridization for specific gene



Figur

Colony Hybridization





Figure 9.12.2

Colony hybridization works for finding a specific gene



E.coli

- Used because it is easily grown and its genomics are known
- Need to eliminate endotoxin from products
- Cells must be lysed to get product

DNA sequencing of a cloned piece of DNA

- Clone DNA to produce many copies to analyze sequence
- Can then be used analyze a person's DNA for the presence/absence of the gene
- Can be used to identify pathogenic strains of bacteria
- Shot gun sequencing
- Southern Blot

Random Shotgun Sequencing





Figure 9.14

Southern Blot technique

- 1975 by Edward Southern
- Utilizes the idea of nucleic acid hybridization to target DNA
- DNA is cut into fragments with restriction enzymes
- Pieces of DNA are separated based on size on an agarose gel
- Probes are used to identify the target gene/sequence of DNA


Southern Blot technique



1 DNA containing the gene of interest is extracted from human cells and cut into fragments by restriction enzymes.

2 The fragments are separated according to size by gel electrophoresis. Each band consists of many copies of a particular DNA fragment. The bands are invisible but can be made visible by staining.


Southern Blot technique



3 The DNA bands are transferred to a nitrocellulose filter by blotting. The solution passes through the gel and filter to the paper towels.

4 This produces a nitrocellulose filter with DNA fragments positioned exactly as on the gel.

Southern Blot technique



5 The filter is exposed to a radioactively labeled probe for a specific gene. The probe will base-pair (hybridize) with a short sequence present on the gene.

6 The filter is then exposed to X-ray film. The fragment containing the gene of interest is identified by a band on the developed film.

Polymerase Chain Reaction




Figure 9.4.1

Polymerase Chain Reaction




Figure 9.4.2

Polymerase Chain Reaction (PCR)

- A technique used to make more copies of DNA in vitro (enzymatically)
- Requires all the building blocks of DNA
- DNA Polymerase (Taq polymerase)
 - From thermophilic bacteria,
Thermus aquaticus

WHY?

Polymerase Chain Reaction (PCR)

- Used to
 - Clone DNA for recombination
 - Amplify DNA to detectable levels
 - Sequence DNA
 - Diagnose genetic disease
 - Detect pathogens

Therapeutic Applications

- Subunit vaccines
- Nonpathogenic viruses carrying genes for pathogen's antigens as vaccines
- Gene therapy to replace defective or missing genes
- Human Genome Project
 - Nucleotides have been sequenced
 - Human Proteome Project may provide diagnostics and treatments

Scientific Applications

- Understanding of DNA
- Sequencing organisms' genomes
- DNA fingerprinting for identification

DNA fingerprinting

